

**IN THE CLAIMS**

Kindly replace the present claims by the following set of claims:

1. (ORIGINAL) A method of communicating with an electronic device, comprising:
  - providing a computer having an audible sound receiving and generating sub-system including a microphone;
  - transmitting from a source at least one ultrasonic acoustic signal, encoded with information to the computer; and
  - receiving said at least one signal by said microphone, to be detected by said computer.
2. (ORIGINAL) A method of communicating with an electronic device, comprising:
  - providing a computer having an audible sound receiving and generating sub-system including a microphone and a loudspeaker;
  - transmitting from a source at least one first acoustic signal, encoded with information to the computer;
  - receiving said at least one signal by said microphone, to be detected by said computer; and
  - transmitting to said source, using said loudspeaker, at least a second acoustic signal, encoded with information, in response with said detected signal.
3. (ORIGINAL) A method according to claim 2, wherein at least one of said at least one first signal and at least a second signal comprise an ultrasonic signal.
4. (ORIGINAL) A method of communicating with an electronic device, comprising:
  - providing an electronic device having a sound receiving and generating sub-system including a microphone and a loudspeaker;
  - transmitting from a source at least one ultrasonic acoustic signal, encoded with information, to the electronic device;
  - receiving said at least one signal by said microphone, to be detected by said electronic device; and
  - transmitting to said source, using said loudspeaker, at least a second ultrasonic acoustic signal, encoded with information, in response with said detected signal.

5. (ORIGINAL) A method according to claim 4, wherein said electronic device comprises a computer.
6. (ORIGINAL) A method of communicating with an electronic device, comprising:
  - providing a telephone having a sound receiving and generating sub-system including a microphone;
  - transmitting from a source at least one acoustic signal, encoded with information to the telephone; and
  - receiving said at least one signal by said microphone, to be used to control said telephone.
7. (ORIGINAL) A method according to claim 6, wherein said acoustic signal comprises an ultrasonic signal.
8. (ORIGINAL) A method of communicating with an electronic device, comprising:
  - providing a computer having a sound receiving and generating sub-system including a microphone;
  - transmitting from a source at least one acoustic signal, encoded with information to the computer; and
  - receiving said at least one signal by said microphone; and
  - forwarding an indication of said information to a remote computer, over an Internet.
9. (ORIGINAL) A method according to claim 8, wherein said indication comprises a sound file.
10. (ORIGINAL) A method according to claim 8, wherein said indication comprises a data file.
11. (PREVIOUSLY PRESENTED) A method according to claim 8, wherein said acoustic signal comprises an ultrasonic signal.
12. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said computer comprises a PDA, personal digital assistant.

13. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said computer comprises a portable computer.

14. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said computer comprises a desk-top computer.

15. (PREVIOUSLY PRESENTED) A method according to claim 1, comprising processing said at least one sound by said computer.

16. (ORIGINAL) A method according to claim 15, wherein processing comprises extracting said encoded information.

17. (ORIGINAL) A method according to claim 15, wherein said processing comprises determining a distance between said microphone and said source.

18. (ORIGINAL) A method according to claim 15, wherein said processing comprises determining movement of said microphone relative to said source.

19. (ORIGINAL) A method according to claim 18 wherein said movement comprises angular movement.

20. (ORIGINAL) A method according to claim 18, wherein said movement comprises translation.

21. (ORIGINAL) A method according to claim 15, wherein said processing comprises determining a spatial position of said microphone relative to said source.

22. (ORIGINAL) A method according to claim 21, wherein said spatial position is a one-dimensional spatial position.

23. (ORIGINAL) A method according to claim 21, wherein said spatial position is a two-dimensional spatial position.

24. (ORIGINAL) A method according to claim 21, wherein said spatial position is a three-dimensional spatial position.

25. (ORIGINAL) A method according to claim 15, wherein said processing comprises emulating a touch screen using said received at least one sound.

26. (ORIGINAL) A method according to claim 15, wherein said processing comprises emulating a pointing device using said received at least one sound.

27. (ORIGINAL) A method according to claim 15, comprising controlling at least one action of a toy, responsive to said received at least one sound.

28. (PREVIOUSLY PRESENTED) A method according to claim 5, wherein said electronic device comprises a wireless communication device.

29. (ORIGINAL) A method according to claim 4, wherein said electronic device comprises a computer peripheral.

30. (ORIGINAL) A method according to claim 29, wherein said peripheral comprises a printer.

31. (ORIGINAL) A method according to claim 4, wherein said device comprises a toy.

32. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said information comprises programming information.

33. (ORIGINAL) A method according to claim 31, wherein said information comprises music.

34. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said source comprises a toy.

35. (ORIGINAL) A method according to claim 34, wherein said information comprises stored player input.

36. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said source comprises a smart card.
37. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said source comprises a wireless communication device.
38. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said source comprises a computer.
39. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said source comprises a computer peripheral.
40. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said information comprises personal information.
41. (PREVIOUSLY PRESENTED) A method according to claim 1, comprising logging into a computer system responsive to said at least transmitted signal.
42. (PREVIOUSLY PRESENTED) A method according to claim 1, comprising transmitting at least a second acoustical signal responsive to said received at least one signal.
- 43 (PREVIOUSLY PRESENTED) A method according to claim 2, wherein said acoustic signal comprises human audible sound.
44. (ORIGINAL) A method according to claim 43, wherein said sound has a main frequency over 10kHz.
45. (PREVIOUSLY PRESENTED) A method according to claim 2, wherein said sound has a main frequency which is infra-sonic.

46. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said information is encoded using below human-threshold amplitude signals.
47. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said information is encoded using below human-threshold amplitude variations.
48. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said sound is generated at a frequency outside a normal operating frequency for said sound subsystem.
49. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said sound subsystem is designed for generating musical sounds.
50. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said sound subsystem comprises a sound card.
51. (ORIGINAL) A method according to claim 50, wherein said sound card comprises a SoundBlaster compatible sound card.
52. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said sound subsystem is designed for audible sound communication with a human operator.
53. (PREVIOUSLY PRESENTED) A method according to claim 1, wherein said ultrasonic signal has a main frequency below 50kHz.
54. (PREVIOUSLY PRESENTED) A method according to claim 1 wherein said ultrasonic signal has a main frequency below 35kHz.
55. (PREVIOUSLY PRESENTED) A method according to claim 1 wherein said ultrasonic signal has a main frequency below 25kHz.
56. (PREVIOUSLY PRESENTED) A method according to claim 1 wherein said ultrasonic signal has a main frequency of about 21kHz.

57. (PREVIOUSLY PRESENTED) A method according to claim 1 wherein said ultrasonic signal has a main frequency of about 20kHz.

58. (PREVIOUSLY PRESENTED) A method according to claim 1 wherein said ultrasonic signal has a main frequency of about 19kHz.

59. (PREVIOUSLY PRESENTED) A method according to claim 1 wherein said ultrasonic signal has a main frequency of below 18kHz.

60-86. (CANCELED)

87. (ORIGINAL) A method of determining a status of an electronic device, comprising:  
receiving information encoding acoustic signals generated by said device; and  
analyzing said signals to determine an operational status associated with said device responsive to said information.

88. (ORIGINAL) A method according to claim 87, wherein said status comprises a status of said device.

89. (ORIGINAL) A method according to claim 87, wherein said status comprises a status of a second device attached by computer communications with said device.

90. (ORIGINAL) A method according to claim 87, wherein said status comprises a status of a network that said device is part of.

91. (PREVIOUSLY PRESENTED) A method according to claim 87, wherein said analyzing comprises analyzing on a computer separate from a circuitry used for acquiring said signals.

92. (PREVIOUSLY PRESENTED) A method according to claim 87, wherein said signals are generated by said device responsive to an interrogation by a second device which performs said receiving.

93. (ORIGINAL) A method according to claim 92, wherein said interrogation does not interrupt other activities of said device.
94. (PREVIOUSLY PRESENTED) A method according to claim 87, wherein said signals are generated by said device independent of an interrogation by a second device.
95. (PREVIOUSLY PRESENTED) A method according to claim 87, wherein said signals are sonic.
96. (PREVIOUSLY PRESENTED) A method according to claim 87, wherein said signals are ultrasonic.
97. (PREVIOUSLY PRESENTED) A method according to claim 87, comprising programming an existing device to generate said signals using an existing speaker which, when the device was designed, was not designated for communication with a second device.
98. (ORIGINAL) A method according to claim 97, wherein said programming comprises software programming in which only memory storage locations are modified.
99. (ORIGINAL) A method according to claim 97, wherein said programming comprises hardware programming in which electronic circuitry of the device is modified.
100. (PREVIOUSLY PRESENTED) A method according to claim 87, wherein said electronic device comprises a computer.
101. (PREVIOUSLY PRESENTED) A method according to claim 87, wherein said electronic device comprises a network hub.
102. (PREVIOUSLY PRESENTED) A method according to claim 87, wherein said electronic device comprises a network switch.



100/02143 A02

103. (PREVIOUSLY PRESENTED) A method according to claim 87, wherein said electronic device comprises a network router.

104-144. (CANCELED)

145. (NEW) A method according to claim 1, wherein said source comprises a telephone.

146. (NEW) A method according to claim 2, wherein said source comprises a telephone.

147. (NEW) A method according to claim 4, wherein said source comprises a telephone.

148. (NEW) A method according to claim 6, wherein said source comprises a telephone.

149. (NEW) A method according to claim 8, wherein said source comprises a telephone.

150. (NEW) A method according to claim 1, wherein said information comprises e-commerce information.

151. (NEW) A method according to claim 2, wherein said information comprises e-commerce information.

152. (NEW) A method according to claim 4, wherein said information comprises e-commerce information.

153. (NEW) A method according to claim 6, wherein said information comprises e-commerce information.

154. (NEW) A method according to claim 8, wherein said information comprises e-commerce information.